

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,958,420 B2
DATED : October 25, 2005
INVENTOR(S) : Robert E. Maleczka, Jr., Milton R. Smith, III and Danial Holmes

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10,

Line 6, "1,1'-bipheyl." should be -- 1,1'-biphenyl --.

Line 54, "It was furthered discovered" should be -- It was further discovered --.

Column 13,

Line 19, "Suzuki-Miyura coupling" should be -- Suzuki-Miyaura coupling --.

Line 32, "1,3-substited arenes" should be -- 1,3-substituted arenes --.

Column 14,

Line 9, "Buchwald[Js]" should be -- Buchwald's --.

Column 15,

Line 63, "ester is an overall" should be -- ester an overall --.

Column 19,

Line 51, "As the initialdimer is" should be -- As the initial dimer is --.

Column 20,

Line 46, "for the glove" should be -- from the glove --.

Column 23,

Line 54, "1,1'-bipheyl." should be -- 1,1'-biphenyl --.

Column 25,

Line 2, "1,1'-bipheyl." should be -- 1,1'-biphenyl --.

Line 32, ")(₂(R₁)₃P)₄Ir" should be --)(R₁)₃P)₄Ir --.

Column 26,

Line 19, "1,1'-bipheyl." should be -- 1,1'-biphenyl --.

Column 27,

Line 36, "1,1'-bipheyl." should be -- 1,1'-biphenyl --.

Column 28,

Line 8, "1,1'-bipheyl." should be -- 1,1'-biphenyl --.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,958,420 B2
DATED : October 25, 2005
INVENTOR(S) : Robert E. Maleczka, Jr., Milton R. Smith, III and Danial Holmes

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 30,

Line 16, "1,1'-bipheyl." should be -- 1,1'-biphenyl --.

Signed and Sealed this

Twenty-eighth Day of February, 2006

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a distinct "D" at the end.

JON W. DUDAS
Director of the United States Patent and Trademark Office